

Slimline Wall Enclosure

12 Position Low Profile Wall Box



The slimline wall enclosure in its basic form is supplied unloaded with either a 12 port ST or 12 port SC plate installed. The enclosure can be pre-loaded with the required adapter and a simple splice kit, or pre-loaded with pigtails to meet your project needs

Features

- ▶ Internal tie points.
- ▶ Cable entry points can be knocked out to suit installation.
- ▶ Solid construction with secure slam latch door.
- ▶ Slim-line design for installation where space is limited.
- ▶ Extended lid protects existing patch cords.

Technical Specification

- ▶ 1.2mm cold rolled steel.
- ▶ Degreased, phosphate dip, power coated.
- ▶ RAL7035
- ▶ Width: 315mm Depth: 40mm Height: 200mm.
- ▶ Unloaded weight: 1.5kg



Ordering Information Overleaf >


Slimline Wall Enclosure


W16 - 12 Position Slimline Wall Enclosure SC / LC / E2000 / MTRJ





Ordering Information


Unloaded W16XXX00


	SC MULTIMODE SIMPLEX	
	W16 (12 Pos)	With
	W16SCM04	4 Adapters
	W16SCM08	8 Adapters
	W16SCM12	12 Adapters
Adapter only part no. SCUSPHRBEIGE		


	SC SINGLEMODE SIMPLEX	
	W16 (12 Pos)	With
	W16SCS04	4 Adapters
	W16SCS08	8 Adapters
	W16SCS12	12 Adapters
Adapter only part no. SCUSZR02		


	SCA SINGLEMODE SIMPLEX	
	W16 (12 Pos)	With
	W16SCA04	4 Adapters
	W16SCA08	8 Adapters
	W16SCA12	12 Adapters
Adapter only part no. SCAPCUSGREEN		

	MTRJ	
	W16 (12 Pos)	With
	W16MTM04	4 Adapters
	W16MTM08	8 Adapters
	W16MTM12	12 Adapters
Adapter only part no. MTRJUNITER		


	LC MULTIMODE DUPLEX	
	W16 (12 Pos)	With
	W16LCM04	4 Adapters
	W16LCM08	8 Adapters
	W16LCM12	12 Adapters
Adapter only part no. LCDPXBEIGE		

	LC SINGLEMODE DUPLEX	
	W16 (12 Pos)	With
	W16LCS04	4 Adapters
	W16LCS08	8 Adapters
	W16LCS12	12 Adapters
Adapter only part no. LCDPXBLUE		

	E2000 MULTIMODE	
	W16 (12 Pos)	With
	W16E2M04	4 Adapters
	W16E2M08	8 Adapters
	W16E2M12	12 Adapters
Adapter only part no. E2UBEIGE		

	E2000 SINGLEMODE	
	W16 (12 Pos)	With
	W16E2S04	4 Adapters
	W16E2S08	8 Adapters
	W16E2S12	12 Adapters
Adapter only part no. E2UBLUE		

	E2000 APC	
	W16 (12 Pos)	With
	W16E2A04	4 Adapters
	W16E2A08	8 Adapters
	W16E2A12	12 Adapters
Adapter only part no. E2APCUGREEN		

	E2000 APC	
	W16 (12 Pos)	With
	W16E2A04	4 Adapters
	W16E2A08	8 Adapters
	W16E2A12	12 Adapters
Adapter only part no. E2APCUGREEN		

Specification

Width: 315mm Depth: 40mm Height: 200mm Weight: 1.5kg Unloaded Colour: Grey

Cable entry 3x20mm gland holes.


Slimline Wall Enclosure


W14 - 12 Position Slimline Wall Enclosure ST / FC





Ordering Information


Unloaded W14XXX00

	ST SINGLEMODE	
	W14 (12 Pos)	With
	W14STS02	2 Adapters
	W14STS04	4 Adapters
	W14STS06	6 Adapters
Adapter only part no. STUZR02		

	FC MULTIMODE	
	W14 (12 Pos)	With
	W14FCM02	2 Adapters
	W14FCM04	4 Adapters
	W14FCM06	6 Adapters
Adapter only part no. FCUPHBR-D		

	ST MULTIMODE	
	W14 (12 Pos)	With
	W14STM02	2 Adapters
	W14STM04	4 Adapters
	W14STM06	6 Adapters
Adapter only part no. STUPHBR		

	FC SINGLEMODE	
	W14 (12 Pos)	With
	W14FCS02	2 Adapters
	W14FCS04	4 Adapters
	W14FCS06	6 Adapters
Adapter only part no. FCUZR02-D		

	FCA SINGLEMODE	
	W14 (12 Pos)	With
	W14FCA02	2 Adapters
	W14FCA04	4 Adapters
	W14FCA06	6 Adapters
Adapter only part no. FCAPCUZR02-D		

Specification

Width: 315mm Depth: 40mm Height: 200mm Weight: 1.5kg Unloaded Colour: Grey

Cable entry 3x20mm gland holes.